

ADMINISTRATIVE OFFICE OF THE COURTS

EDUCATION
GOVERNMENT RELATIONS
INTERNAL AFFAIRS
JUDICIAL INFORMATION SYSTEMS
OPERATIONS
PROGRAMS

Amendment #2

Request for Proposals

K16-0056-70

Acoustical Wall Panel Installation- Glen Burnie

This Amendment is being issued to amend and clarify certain information contained in the above named RFP. All information contained herein is binding on all Offerors who respond to this RFP. Specific parts of the RFP have been amended. The following changes/additions are listed below; new language has been <u>underlined</u> and language deleted has been marked with a strikeout (ex. <u>language deleted</u>)

1. Revise Section 2.4.2 Acceptable Manufacturer

2.4.2 <u>Acceptable Recommended Manufacturers- Contractor shall may select from and provide:</u>

- 2.4.1.1 Acoustical Wall Panels
 - 1. Armstrong World Industries, Inc.
 - 2. Owens Corning
 - 3. Sound Seal
 - 4. Acoustical Solutions, Inc.

2. Delete Section 2.4.3 Wood Veneer Wall Panels

2.4.3 Wood Veneer Wall Panels

2.4.3.1 Audition Wall Panels

1. Surface texture: Fabric as selected by agency.

- 2. Composition: Fiberglass
- 3. Finish: As selected by agency.
- 4. Color: As selected by agency.
- 5. Panel Heights: 5 ft. minimum
- 6. Thickness: 2"
- 7. Perforation size and patterns: Grooved face veneer and Diamond perforations on back.
- 8. Room/Corner Wall Test: NFPA 265 (UBC 8-2); Pass.
- 9. Edge Profile: Square; both vertical edges for interface with plastic "H" spline for installation.
- 10. Flame Spread: ASTM E84; composite rating 25 or less flame spread/200 or less smoke developed.
- 11. Noise reduction coefficient (NRC): ASTM C 423; Classified with FM label on product carton, 0.90 or better
- 12. Dimensional Stability: Standard—space must be enclosed with HVAC systems operating at all times

Issued by: Whitney Williams

Procurement Officer February 23, 2016